



### DESCRIPTION

The **CBS ArcSafe® RSA-57T** remote switch actuator (RSA) is designed to operate the Square D N-Frame molded case circuit breaker without having to make any modifications to existing electrical equipment thanks to CBS ArcSafe's magnetic latching system. The lightweight, portable RSA-57T allows technicians to remotely close or trip the MCCBs from a safe distance of up to 300 feet while remaining stationed outside the arc-flash boundary. The RSA-57T is compatible with flush-mounted N-Frame breakers with ratings of 600-1200 A, with or without factory lockouts, including NE and NX frames. Typical applications include switching and protection of squirrel-cage, wound-rotor, and synchronous motors. Designed, manufactured, and assembled in the United States, all RSA units are portable, fast, and easy to set up, offer mechanical and/or electrical safety protection, are adjustable to fit unique electrical equipment configurations, reduce the requirements for personal protection equipment (PPE), and help customers with NFPA 70E arc-flash safety compliance. Optional features include radio remote with range of up to 300 feet, 24 V DC LED light, wireless video camera system with LCD monitor, and rugged protective case assembly.

### SPECIFICATIONS

<b>WEIGHT:</b>	17 lbs
<b>DIMENSIONS:</b>	5.5"L x 7"W x 17.25"H
<b>POWER CONSUMPTION:</b>	50 W
<b>OPERATING DISTANCE:</b>	25-300 feet
<b>COMPATIBILITY:</b>	Including NE and NX frames, with or without factory lockout
<b>CONTROL/POWER SOURCE:</b>	CBS ArcSafe® RSO-I Control Console

### OVERVIEW

- Remote operation from up to 300 feet
- Lightweight, portable, and adjustable
- Simple setup; no equipment modification required
- Reduces or eliminates need for arc-flash hazard suits
- Designed, manufactured, and assembled in the United States

